

## SPECIFICATIONS – 250 FOUR STROKE

<b>HP / kW</b>	<b>250 / 186</b>
<b>Engine type</b>	<b>V-8</b>
<b>MidSection</b>	<b>Conventional MidSection</b>
<b>Displacement (CID/CC)</b>	<b>279 CID</b>
<b>Displacement (L)</b>	<b>4.6L</b>
<b>Cylinder Configuration</b>	<b>V-8 [64 degree] with Dual Overhead Cam [DOHC] and 32-valves</b>
<b>Full throttle RPM</b>	<b>5200-6000</b>
<b>Air induction</b>	<b>Performance-Tuned Long-Runner Intake Manifold</b>
<b>Fuel induction system</b>	<b>Electronic Fuel Injection (EFI) Computer Controlled with Advanced Range Optimization</b>
<b>Alternator amp / Watt</b>	<b>85-amp (1071 Watt) with Idle Charge</b>
<b>Recommended fuel</b>	<b>Unleaded Regular 87 Octane Minimum (R+M/2) or 90 RON 10% Ethanol Maximum</b>
<b>Recommended oil</b>	<b>NMMA Certified FCW SAE 10W-30</b>
<b>Engine protection operator warning system</b>	<b>SmartCraft Engine Guardian</b>

<b>Compatible with SmartCraft digital technology</b>	<b>Yes</b>
<b>Starting</b>	<b>Electric Start with SmartStart Protection</b>
<b>Controls</b>	<b>Remote Mechanical or Digital Throttle &amp; Shift (DTS)</b>
<b>Steering</b>	<b>Big Tiller (optional) Hydraulic (standard) Power (optional)</b>
<b>Shaft length</b>	<b>20" / 508 mm 25" / 635 mm 30" / 762 mm</b>
<b>Gearcase ratio</b>	<b>1.75:1</b>
<b>Dry weight *Lightest model available</b>	<b>527 lbs / 239 kgs</b>
<b>CARB star rating</b>	<b>3</b>
<b>Bore and stroke</b>	<b>3.6 in x 3.4 in / 92 mm x 86 mm</b>
<b>Ignition</b>	<b>SmartCraft PCM 112 Digital Inductive</b>
<b>Cooling system</b>	<b>Water-cooled with thermostat</b>
<b>Gear shift</b>	<b>F-N-R</b>

<b>Gearcase options</b>	<b>5.44"</b>
<b>Trim system</b>	<b>Power trim and tilt</b>
<b>Exhaust system</b>	<b>Through prop</b>
<b>Counter Rotation</b>	<b>Available</b>
<b>Color</b>	<b>Cold Fusion White Pearl Fusion White Phantom Black Warm Fusion White</b>
<b>Lubrication system</b>	<b>Integrated wet sump</b>
<b>Oil Capacity</b>	<b>7.0 Quarts / 6.6 Liters</b>
<b>Maximum Trim Range</b>	<b>20° (-6° to 14°)</b>
<b>Maximum Tilt Range</b>	<b>73° (-6° to 67°)</b>

[\[BACK TO MOTORS\]](#)